

PRODUCT CATALOGUE

Full Collection

Laminate · SPC · Parquet · Wall panels · Skirting · Underlays · Adhesives · Decking

ABOUT US

Everything for the floor, from one brand.

FloorLaBs is a Dutch flooring brand. We develop complete flooring collections: laminate, rigid SPC, engineered parquet, wall panels and every accessory a floor needs.

We supply importers, distributors, retailers and project contractors, and we ship by full truck or container, with mixed loads of flooring and accessories welcome.

6
laminate collections

100+
SPC decors available

40+
parquet & marquetry designs

1
supplier for the complete floor

Designed by FloorLaBs

We set the decors, formats and specifications of every collection, and check quality from line to load.

Certified products

EPD, REACH and Greenguard Gold for laminate. EPD, M1 and Clean Air Gold for SPC.

Built for export

Export-ready packing, full trucks and containers, private-label options on request.

PRODUCT RANGE

Everything for the floor.




Laminate flooring

6 collections · 8–12 mm · AC3–AC5




Rigid Click SPC

53 decors shown · 100+ available



Parquet & marquetry

Engineered, rustic & marquetry




Wall panels

MDF fluted & SPC wall panels



Skirting, underlays & adhesives

Everything to finish the floor



Profiles, tools & care

Install and maintain



Decking

Wood & composite outdoor floors

FloorLaBs
One Step Ahead

LAMINATE PRODUCTION


PRODUCTION & PACKING · LAMINATE

From press to pallet.


HDF core, decor paper and wear layer are pressed into one board, conditioned, cut, click-profiled and inspected, then packed in FloorLaBs boxes and wrapped for export.

1 Pressing
2 Conditioning
3 Cutting
4 Click profiling
5 Inspection
6 Packing









FloorLaBs
One Step Ahead

SPC PRODUCTION




PRODUCTION & PACKING · SPC

Made with solar power.

The stone-polymer core is extruded, printed, coated, click-profiled and packed on automated lines. A solar roof supplies the energy, and off-cuts go straight back into the core.

1. Extrusion
2. Decor & wear layer
3. UV coating
4. Click profiling
5. IXPE pad
6. Packing











01 · LAMINATE FLOORING

Laminate flooring

Six collections. 8 to 12 mm, AC3 to AC5, square edge or 4V.

EPD

Environmental Product Declaration

REACH

EU chemicals compliant

GREENGUARD GOLD

Low-emission indoor air

LAMINATE · CERTIFIED

Certified for people and planet.

Every FloorLaBs laminate collection is covered by an independently verified EPD, complies with EU REACH and is Greenguard Gold certified for low emissions.

EPD

Environmental Product Declaration

Third-party verified life-cycle data to EN 15804 and ISO 14025. Reg. no. EPD-IES-0026946.

REACH

EU REACH compliant

Meets the European regulation on chemicals. Free of PVC, PCB and dioxins.

GREENGUARD GOLD

Greenguard Gold

Strict low chemical emission limits for healthy indoor air, suitable for schools and healthcare spaces.

LOW CARBON FOOTPRINT · A1–A3, PER M²

10.6

kg CO_2e fossil emissions

−7.27

kg CO_2e total, net of carbon stored in the wood fibre

The wood fibre in the HDF core stores more carbon than is emitted making the plank.

The collections at a glance.

Collection	Thick.	Plank mm	Class	Edge	Decors
Classic	8 mm	192.5 × 1200	AC3 · 31	Square	11
Super	8 mm	192.5 × 1200	AC4 · 32	Square	17
Elite	8 mm	192.5 × 1200	AC4 · 32	4V	17
Beyond XL	8 mm	192.5 × 1380	AC4 · 32	4V	11
Dream	10 mm	190 × 1380	AC4 · 32	4V	9
Select	12 mm	190 × 1380	AC5 · 33	4V	15

Wear classes (EN 13329)

AC3 · 31

Homes and light commercial use

AC4 · 32

Busy homes, offices, shops

AC5 · 33

Heavy-traffic commercial floors

HDF core

Density (EN 323)	850–900 kg/m³
Swelling 24 h (EN 317)	≤ 13 %
Internal bond (EN 319)	≥ 1.6 N/mm²
Bending strength (EN 310)	≥ 40 N/mm²

- Click installation
- Scratch, impact & UV resistant
- Embossed surface
- Hygienic, easy to clean



LAMINATE COLLECTION

Classic

Our essential 8 mm floor. Natural oak looks at an honest price, for homes and light commercial use.

8 mm · 192.5 × 1200 mm · AC3 · Class 31 · Square edge · 8 planks · 1.85 m²

11 decors · 9322 · 9323 · 9324 · 9325 · 9326 · 9327 · 9328 · 9329 · 9030 · 9332 · 9333

FloorLaBs
One Step Ahead

CLASSIC



9322

Oak Barcelona

8 mm | 192.5 × 1200 mm | AC3 · Class 31 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



9323

Oak Wien

8 mm · 192.5 × 1200 mm · AC3 · Class 31 · Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



9324

Oak Rio

8 mm · 192.5 × 1200 mm · AC3 · Class 31 · Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



9325

Oak Rome

8 mm · 192.5 × 1200 mm · AC3 · Class 31 · Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

CLASSIC



9326

Oak Helsinki

8 mm | 192.5 × 1200 mm | AC3 · Class 31 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



9327

Oak Lisbon

8 mm | 192.5 × 1200 mm | AC3 · Class 31 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



9328

Oak Cairo

8 mm · 192.5 × 1200 mm · AC3 · Class 31 · Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



9329

Oak Madrid

8 mm | 192.5 × 1200 mm | AC3 · Class 31 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



9030

Oak Dortmund

8 mm | 192.5 × 1200 mm | AC3 · Class 31 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



9332

Oak Copenhagen

8 mm | 192.5 × 1200 mm | AC3 · Class 31 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

CLASSIC



9333

Oak Hamburg


8 mm | 192.5 × 1200 mm | AC3 · Class 31 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



LAMINATE COLLECTION

Super

AC4 strength in 8 mm. A wide palette of oak, pine, teak and walnut for busy homes and offices.

8 mm · 192.5 × 1200 mm · AC4 · Class 32 · Square edge · 8 planks · 1.85 m²

17 decors · 4871 · 4876 · 4961 · 5023 · 5025 · 5026 · 5034 · 5035 · 5036 · 5037 · 5038 · 5821 · 5826 · 7346 · 7351 · 7361 · 7366



4871

Burmese Teak

8 mm · 192.5 × 1200 mm · AC4 · Class 32 · Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



4876

Oak Paris

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

SUPER



4961

Oak Baku

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

SUPER



5023

Pine Bern

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5025

Oak Viseu

8 mm · 192.5 × 1200 mm · AC4 · Class 32 · Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

SUPER



5026

Oak Prague

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5034

Pine Moscow

8 mm · 192.5 × 1200 mm · AC4 · Class 32 · Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5035

Oak Budapest

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

SUPER



5036

Oak Sydney

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5037

Oak London

8 mm · 192.5 × 1200 mm · AC4 · Class 32 · Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

SUPER



5038

Walnut Riga

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5821

Oak Brussels

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

SUPER



5826

Oak Prague

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

SUPER



7346

Oak Tokyo

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



7351

Oak Osaka

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



7361

Oak Kyoto

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



7366

Oak Kobe

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | Square edge

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



LAMINATE COLLECTION

Elite

AC4 with a V-groove on all four sides. Every plank stands out on its own, like real wood boards.

8 mm · 192.5 × 1200 mm · AC4 · Class 32 · 4V bevel · 8 planks · 1.85 m²

17 decors · 1808 · 5023 · 5026 · 5027 · 5028 · 5030 · 5031 · 5038 · 5039 · 9322 · 9323 · 9324 · 9325 · 9327 · 9328 · 9332 · 9333

FloorLaBs
One Step Ahead

ELITE



1808

Oak Leeds

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air





5023

Pine Bern

8 mm · 192.5 × 1200 mm · AC4 · Class 32 · 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5026

Oak Chicago


8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5027

Pine Kiev

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²


EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

ELITE



5028

Oak Zurich

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

ELITE



5030

Oak Berlin

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5031

Oak Oslo

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5038

Walnut Riga

8 mm · 192.5 × 1200 mm · AC4 · Class 32 · 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

ELITE



5039

Oak Hanoi

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



9322

Oak Barcelona

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

ELITE



9323

Oak Wien

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



9324

Oak Rio

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



9325

Oak Rome

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



9327

Oak Lisbon

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

9328

Oak Cairo

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



9332

Oak Copenhagen

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

ELITE



9333

Oak Hamburg

8 mm | 192.5 × 1200 mm | AC4 · Class 32 | 4V bevel

8 planks · 1.85 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



LAMINATE COLLECTION

Beyond XL

Extra-long 1380 mm planks with 4V bevels. More length, fewer joints and a calmer, bigger-looking room.

8 mm · 192.5 × 1380 mm · AC4 · Class 32 · 4V bevel · 2.13 m² / box

11 decors · 1323 · 1328 · 3211 · 3213 · 5042 · 5043 · 5044 · 5045 · 5046 · 5047 · 5049



1323

Oak Sevilla


8 mm | 192.5 × 1380 mm | AC4 · Class 32 | 4V bevel

2.13 m² / box

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



1328

Oak Malaga

8 mm · 192.5 × 1380 mm · AC4 · Class 32 · 4V bevel

2.13 m² / box

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



3211

Oak Taipei

8 mm · 192.5 × 1380 mm · AC4 · Class 32 · 4V bevel

2.13 m² / box

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



3213

Oak Seoul

8 mm · 192.5 × 1380 mm · AC4 · Class 32 · 4V bevel · 2.13 m² / box

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5042

Oak Split

8 mm · 192.5 × 1380 mm · AC4 · Class 32 · 4V bevel

2.13 m² / box

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5043

Oak Plovdiv


8 mm | 192.5 × 1380 mm | AC4 · Class 32 | 4V bevel

2.13 m² / box

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5044

Oak Patral

8 mm · 192.5 × 1380 mm · AC4 · Class 32 · 4V bevel · 2.13 m² / box

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5045

Oak Ohrid

8 mm | 192.5 × 1380 mm | AC4 · Class 32 | 4V bevel

2.13 m² / box

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5046

Oak Podgorica

8 mm | 192.5 × 1380 mm | AC4 · Class 32 | 4V bevel

2.13 m² / box

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5047

Oak Durres

8 mm | 192.5 × 1380 mm | AC4 · Class 32 | 4V bevel

2.13 m² / box

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



5049

Oak Nemrut

8 mm · 192.5 × 1380 mm · AC4 · Class 32 · 4V bevel · 2.13 m² / box

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



LAMINATE COLLECTION

Dream

10 mm of solid feel underfoot. Long 4V planks with deep, natural textures for warm living spaces.

10 mm · 190 × 1380 mm · AC4 · Class 32 · 4V bevel · 7 planks · 1.84 m²

9 decors · 4936 · 4946 · 6421 · 6422 · 6423 · 6424 · 6425 · 6427 · 6429



4936

Oak Skopje

10 mm | 190 × 1380 mm | AC4 · Class 32 | 4V bevel

7 planks · 1.84 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



4946

Oak Belgrade

10 mm · 190 × 1380 mm · AC4 · Class 32 · 4V bevel

7 planks · 1.84 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



6421

Oak Tirana

10 mm | 190 × 1380 mm | AC4 · Class 32 | 4V bevel

7 planks · 1.84 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



6422

Oak Mostar

10 mm | 190 × 1380 mm | AC4 · Class 32 | 4V bevel

7 planks · 1.84 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



6423

Oak Kotor

10 mm · 190 × 1380 mm · AC4 · Class 32 · 4V bevel

7 planks · 1.84 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



6424

Oak Sofia

10 mm · 190 × 1380 mm · AC4 · Class 32 · 4V bevel

7 planks · 1.84 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



6425

Walnut Zagreb

10 mm | 190 × 1380 mm | AC4 · Class 32 | 4V bevel

7 planks · 1.84 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



6427

Oak Athens

10 mm · 190 × 1380 mm · AC4 · Class 32 · 4V bevel

7 planks · 1.84 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



6429

Oak Krakow

10 mm · 190 × 1380 mm · AC4 · Class 32 · 4V bevel

7 planks · 1.84 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



LAMINATE COLLECTION

Select

Our top floor. 12 mm, AC5 and 4V: made for heavy traffic in shops, hotels and offices, and for homes that want the best.

12 mm · 190 × 1380 mm · AC5 · Class 33 · 4V bevel · 6 planks · 1.58 m²

15 decors · 1201 · 1202 · 1203 · 1204 · 1205 · 1206 · 1207 · 1209 · 1210 · 1211 · 1212 · 1213 · 1214 · 1215 · 1216

FloorLaBs
One Step Ahead

SELECT



1201

Oak Venice

12 mm | 190 × 1380 mm | AC5 · Class 33 | 4V bevel

6 planks · 1.58 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



1202

Oak Porto

12 mm · 190 × 1380 mm · AC5 · Class 33 · 4V bevel

6 planks · 1.58 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



1203

Oak Monaco

12 mm · 190 × 1380 mm · AC5 · Class 33 · 4V bevel · 6 planks · 1.58 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



1204

Oak Valencia

12 mm · 190 × 1380 mm · AC5 · Class 33 · 4V bevel

6 planks · 1.58 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

SELECT



1205

Oak Koper


12 mm · 190 × 1380 mm · AC5 · Class 33 · 4V bevel

6 planks · 1.58 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



1206

Oak Beirut


12 mm | 190 × 1380 mm | AC5 · Class 33 | 4V bevel

6 planks · 1.58 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



1207

Oak Genoa


12 mm · 190 × 1380 mm · AC5 · Class 33 · 4V bevel

6 planks · 1.58 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



1209

Oak Izmir

12 mm · 190 × 1380 mm · AC5 · Class 33 · 4V bevel

6 planks · 1.58 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



1210

Oak Belgrade

12 mm · 190 × 1380 mm · AC5 · Class 33 · 4V bevel

6 planks · 1.58 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



SELECT

1211

Oak Krasnodar

12 mm · 190 × 1380 mm · AC5 · Class 33 · 4V bevel

6 planks · 1.58 m²


EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

SELECT



1212

Oak Nice


12 mm · 190 × 1380 mm · AC5 · Class 33 · 4V bevel

6 planks · 1.58 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



1213

Oak Bodrum

12 mm · 190 × 1380 mm · AC5 · Class 33 · 4V bevel

6 planks · 1.58 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



1214

Oak Cannes

12 mm · 190 × 1380 mm · AC5 · Class 33 · 4V bevel

6 planks · 1.58 m²


EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air

FloorLaBs
One Step Ahead

SELECT



1215

Walnut Bursa


12 mm · 190 × 1380 mm · AC5 · Class 33 · 4V bevel

6 planks · 1.58 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



1216

Oak Nile

12 mm · 190 × 1380 mm · AC5 · Class 33 · 4V bevel

6 planks · 1.58 m²

EPD — Environmental Product Declaration

REACH — EU chemicals compliant

GREENGUARD GOLD — Low-emission indoor air



02 · RIGID CLICK SPC

SPC flooring

100% waterproof stone-polymer core with an integrated underlay. Certified low-emission and low-carbon.

EPD
Environmental Product Declaration

M1
Emission class for indoor air

CLEAN AIR GOLD
Intertek certified

SPC · CERTIFIED & LOW CARBON

Clean air. Low carbon.

Our Rigid Click SPC is independently tested for indoor air quality and has a verified environmental footprint.

EPD

Environmental Product Declaration

Verified life-cycle data for the full product, from raw material to finished product.

M1

M1 emission class

The strictest European class for low emissions from building materials.

CLEAN AIR GOLD

Intertek Clean Air Gold

Certified low VOC emissions, for healthy homes, schools and offices.

LOW CARBON FOOTPRINT · A1–A3, PER M²

10.5

kg CO_2e per m² (GWP, A1–A3)

0

production waste: off-cuts go back into the core

Produced with solar energy.

Rigid Click, standard spec.



- 100% waterproof core
- Suits underfloor heating
- Dent, stain & scratch resistant
- Quiet and warm underfoot
- Lays over most existing floors
- Fast click installation

Total thickness	5 mm (4 mm + 1 mm IXPE pad)
Plank size	228.6 × 1219.2 mm
Tile size (stone)	304.8 × 914.4 mm
Wear layer	0.55 mm
Locking	Uniclic click
Edges	Micro-bevel on 4 sides
Use class	23 / 33
Abrasion	≥ 3,000 cycles
Core density	2,000 kg/m³
Dimensional stability	≤ 0.15 %
Slip resistance	R10
Fire class	Bfl-s1
Impact sound	19 dB
Underfloor heating	Max. 27 °C
Box	8 planks · 2.233 m² · 18.55 kg
Pallet	48 boxes · 107.18 m² · 929 kg
Warranty	25 yrs residential · 10 yrs light commercial

Made to your spec.

Besides our standard 5 mm, we produce to order in other thicknesses, widths and wear layers.

5 mm

4 mm core + 1 mm pad

181 × 1219 mm (7.13" × 48")

228.6 × 1219 mm (9" × 48")

Stone tile 304.8 × 914.4 mm

7 mm

5.5 mm core + 1.5 mm pad

181 × 1219 mm (7.13" × 48")

228.6 × 1219 mm (9" × 48")

228.6 × 1524 mm (9" × 60")

Wear layer

0.30 mm · 0.33 mm · 0.55 mm

Click system

Unilin or I4F

Standards

Tested to ASTM & ISO

Decors

100+ wood & stone designs

Bevel

Micro-bevel or painted bevel

Packing

Private label on request





F40209-3

Oak Denver

5 mm incl. IXPE pad | 228.6 × 1219.2 mm | Wear layer 0.55 mm | Class 23 / 33 | Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified

FloorLaBs
One Step Ahead

SPC · CORE COLLECTION



F40274-8

Oak London

5 mm incl. IXPE pad | 228.6 × 1219.2 mm | Wear layer 0.55 mm

Class 23 / 33 | Waterproof

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified



F30129-22

Oak Columbus

5 mm incl. IXPE pad

228.6 × 1219.2 mm

Wear layer 0.55 mm

Class 23 / 33

Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F30129-22B

Oak Ural

5 mm incl. IXPE pad

228.6 × 1219.2 mm

Wear layer 0.55 mm

Class 23 / 33

Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40226-29

Oak Rome

5 mm incl. IXPE pad

228.6 × 1219.2 mm

Wear layer 0.55 mm

Class 23 / 33

Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40147-2

Oak Kansas City

5 mm incl. IXPE pad | 228.6 × 1219.2 mm | Wear layer 0.55 mm | Class 23 / 33 | Waterproof

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified



F40274-1

Oak Newark

5 mm incl. IXPE pad

228.6 × 1219.2 mm

Wear layer 0.55 mm

Class 23 / 33

Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F3751-2

Oak Brooklyn

5 mm incl. IXPE pad | 228.6 × 1219.2 mm | Wear layer 0.55 mm | Class 23 / 33 | Waterproof

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified



F40209-5

Oak San Jose

5 mm incl. IXPE pad | 228.6 × 1219.2 mm | Wear layer 0.55 mm

Class 23 / 33 | Waterproof

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified



F40226-0

Oak Seattle

5 mm incl. IXPE pad

228.6 × 1219.2 mm

Wear layer 0.55 mm

Class 23 / 33

Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F34165-7

Light Concrete

5 mm incl. IXPE pad | 304.8 × 914.4 mm | Wear layer 0.55 mm

Class 23 / 33 | Waterproof

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified



F34165-3

Anthracite Concrete

5 mm incl. IXPE pad | 304.8 × 914.4 mm | Wear layer 0.55 mm

Class 23 / 33 | Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F34181-0

Dark Concrete

5 mm incl. IXPE pad | 304.8 × 914.4 mm | Wear layer 0.55 mm

Class 23 / 33 | Waterproof

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified

Wood decors



F0006-04 Oak Omaha



F2112-4 Oak Kent



F27118-2 Oak El Paso



F300-18 Oak Indiana



F300-21 Oak Honolulu



F30133-6 Oak Cincinnati

Wood decors



F40147-22 Oak Pittsburgh



F40147-26 Oak Louisville



F40147-7 Oak Boston



F40164-4 Oak Philadelphia



F40164-5 Oak San Diego



F40164-9 Oak Phoenix

Wood decors



F40181-4 Oak Sacramento



F40211-5 Oak Perth



F40213-7 Oak Florida



F40234-2 Oak Darwin



F40234-4 Oak Dallas



F40259-5 Oak Riverside

Wood decors



F40259-6 Oak Irvine




F430-15 Oak San Antonio



F444-16 Oak Mesa



F451-17 Oak Austin



F452-3 Oak Detroit



F524-13 Oak Washington

Wood & stone decors



F7262-4 Oak Atlanta



F8348 Oak Melton



F8376-8 Walnut Portland



F8421-25 Oak Athens




F8433-56 Oak Nashville



F34200-2 Carrara Marble

Stone decors



F34151-4 Calacatta Marble



F34144-2 Grey Marble



F34144-3 Black Marble



F34165-6 Light Concrete



F34165-4 Grey Concrete




F34158-9 Marble Calatorao

Stone decors



F34249-3 Marble Lincoln



F34250-2 Marble Picasso



F34248-4 Travertine Grey



F34248-7 Travertine Comfort

100+

more wood and stone decors available on request. Ask us for the full decor book and samples.



03 · PARQUET & MARQUETRY

Real wood, crafted.

Engineered oak, walnut and iroko, a rustic oak plank collection and hand-assembled marquetry panels.

Oak, iroko & walnut.

Three-layer and multi-layer pre-finished planks in select, nature, rustic and toned grades. Bevelled, micro-bevelled or square edges.



BP101
Oak Select 3-strip



BP102
Oak Nature 3-strip



BP103
Oak Loft 3-strip



BP201
Oak Select plank



BP202
Oak Nature plank



BP203
Oak Rustic plank



BP301
Oak Tundra



BP302
Oak Brown




BP303
Oak Caramel



BP401
Iroko plank



BP402
Iroko 2-strip



BP403
Iroko 3-strip



BP501
Walnut Select



BP502
Walnut Country



BC101
Oak Chevron



BC201
Walnut Chevron

Wide oak planks with character.



F20 Oak Topaz



F22 Oak Cayman




F56 Oak Sunda



F622 Oak Como



F79 Oak Primera




F80 Oak Harmony



F83 Oak Mau



F87 Oak Sonora



F89 Oak Dune

Signature patterns.

Hand-assembled panels in oak, walnut, iroko, merbau and teak for hotels, villas and statement rooms.



BM101
Oak Oxford



BM102
Iroko Oxford




BM103
Oak / Walnut Oxford



BM201
Merbau London



BM202
Oak Select London




BM203
Teak London



BM204
Oak Select London




BM205
Oak Patine London



BM206
Walnut London



BM301
Oak Birmingham



BM401
Oak / Walnut Bath



BM501
Oak Angel




BM601
Oak Wimbledon



BM701
Oak / Walnut Chelsea



BM801
Oak Grey Angel



BM901
Oak Rustic Soho



BM902
Oak Select Soho



BM903
Oak Brown Soho




04 · WALL PANELS

MDF fluted wall panels

Fluted MDF panels wrapped in PVC foil. 280 cm long, easy to cut and glue, for living rooms, hotels and retail.

Model	Width	Thick.
9321 Hakone	117.5 mm	18 mm
9322 Suomi	117.5 mm	12 mm
9323 Master	117.5 mm	14 mm
9324 Zermatt	117.5 mm	14 mm
9325 Crater	117.5 mm	18 mm
9326 Mont Blanc	147 mm	18 mm




17 PVC foil colours (T01–T17) and 3 soft-touch finishes (ST01–ST03).

SPC wall panels

Large-format, 100% waterproof stone-polymer panels for bathrooms, kitchens and feature walls. Marble, concrete, travertine and wood looks, plus fluted panels.


2800 × 960 mm · 4 mm · Wear layer 0.30 mm · Density 2,000 kg/m³ · Waterproof



F34200-2 Carrara Marble



F34151-4 Calacatta Marble



F34144-3 Black Marble




F34165-4 Grey Concrete



F34248-4 Travertine Grey




F40226-29 Oak Rome









05 · FINISHING & ACCESSORIES

Finish the floor.

Skirting boards, underlays, adhesives, profiles, tools and care: everything to install and maintain the floor.

SKIRTING BOARDS

Matched to every floor.


Heights from 4.5 to 12 cm, colour-matched to our laminate, SPC and parquet decors.




Boston



Colorado



Denver



Florida



Indiana




New York




Wood veneered

Real wood face for parquet



PVC

Water resistant, with corners



Aluminium

Slim, commercial-grade

- Foiled MDF & PP
- Lacquered white & colours
- Wood veneered
- PVC
- Aluminium

UNDERLAYS

The layer that makes the floor.



F222
Fold XPS




F203
Styrofoam XPS



F102
White foam



F302
Metalised underlay



F501
Underfloor heating



F402
Cork



F627
Cork & rubber



F315
Aluminium seam tape

XPS underlay boards

Underlay property	Value
Thickness	2 · 2.3 · 3 · 4.2 · 5 mm
Density	**16 · 20 · 30–40 kg/m³**
Compressive strength	80 · 90 · 150 kPa
Thermal conductivity λ	0.039 W/mK
Impact sound reduction	up to 23 dB
Fire class · standard	E · EN 13164
Installation	No glue needed · moisture resistant

Bond, seal and protect.



Wood flooring adhesive

2-component PU



PVC & vinyl adhesive

Acrylic, low emission



PU construction adhesive

Cartridge



MDF kit spray

Rapid adhesive + activator



Multi-purpose silicone

Clear, white, black, brown



Acrylic sealant

Paintable



PU expanding foam

Mounting & insulation

Floor cleaner

Concentrated


Clean edges, easy fitting.

Anodised aluminium profiles in wood-look and metallic finishes.



Transition

Joins floors of equal height




Level difference

Bridges different heights



Ending

Finishes at walls and doors



Stair nosing

Protects step edges


Tools & care



Cutting machine



Laminate cutter



Spacers & mallet



Pull & pry bar




Adhesive spreader



Knee pads



Safety shoes



Care set



06 · DECKING & CLADDING

Built for outdoors.


Thermowood and composite decking for hotels, villas and terraces.

Wood or composite.



Wooden deck


Thermowood and kiln-dried pine, ash and iroko. Thermally modified for stability without chemicals. Many thicknesses, widths and profiles.



Composite (WPC) deck

Low-maintenance hollow boards in 7 colours: bitter coffee, white coffee, wenge, anthracite, teak, grey and green. With joists and edge covers.









DELIVERY

Shipped the way you need it.

Full trucks and containers straight from production. Mixed loads of flooring and accessories in one shipment are welcome.







- Export packing
- Mixed loads
- Private label on request
- Samples & price lists on request



CONTACT

Let’s talk flooring.

We work with importers, distributors, retailers and contractors worldwide. Ask us for samples, price lists and technical data sheets.

floorlabs.nl · floorlabs.co