

PRODUCT CATALOGUE

SPC Collection

Rigid Click · 100% waterproof · 135 decors · EPD, M1 & Clean Air Gold certified

ABOUT US

Everything for the floor, from one brand.

FloorLaBs is a Dutch flooring brand. We develop complete flooring collections: laminate, rigid SPC, engineered parquet, wall panels and every accessory a floor needs.

We supply importers, distributors, retailers and project contractors, and we ship by full truck or container, with mixed loads of flooring and accessories welcome.

135
SPC decors in this catalogue

100%
waterproof core

2
thicknesses: 5 and 7 mm

1
supplier for the complete floor

Designed by FloorLaBs

We set the decors, formats and specifications of every collection, and check quality from line to load.

Certified products

EPD, REACH and Greenguard Gold for laminate. EPD, M1 and Clean Air Gold for SPC.

Built for export

Export-ready packing, full trucks and containers, private-label options on request.

FloorLaBs
One Step Ahead

SPC PRODUCTION




PRODUCTION & PACKING · SPC

Made with solar power.

The stone-polymer core is extruded, printed, coated, click-profiled and packed on automated lines. A solar roof supplies the energy, and off-cuts go straight back into the core.

1. Extrusion
2. Decor & wear layer
3. UV coating
4. Click profiling
5. IXPE pad
6. Packing











RIGID CLICK SPC

SPC flooring

100% waterproof stone-polymer core with an integrated underlay. Certified low-emission and low-carbon.

EPD
Environmental Product Declaration

M1
Emission class for indoor air

CLEAN AIR GOLD
Intertek certified

SPC · CERTIFIED & LOW CARBON

Clean air. Low carbon.

Our Rigid Click SPC is independently tested for indoor air quality and has a verified environmental footprint.

EPD

Environmental Product Declaration

Verified life-cycle data for the full product, from raw material to finished product.

M1

M1 emission class

The strictest European class for low emissions from building materials.

CLEAN AIR GOLD

Intertek Clean Air Gold

Certified low VOC emissions, for healthy homes, schools and offices.

LOW CARBON FOOTPRINT · A1–A3, PER M²

10.5

kg CO_2e per m² (GWP, A1–A3)

0

production waste: off-cuts go back into the core

Produced with solar energy.

SPC · TECHNICAL DATA

Rigid Click, standard spec.



- 100% waterproof core
- Suits underfloor heating
- Dent, stain & scratch resistant
- Quiet and warm underfoot
- Lays over most existing floors
- Fast click installation

Total thickness	5 mm (4 mm + 1 mm IXPE pad)
Plank size	228.6 × 1219.2 mm
Tile size (stone)	304.8 × 914.4 mm
Wear layer	0.55 mm
Locking	Uniclic click
Edges	Micro-bevel on 4 sides
Use class	23 / 33
Abrasion	≥ 3,000 cycles
Core density	2,000 kg/m³
Dimensional stability	≤ 0.15 %
Slip resistance	R10
Fire class	Bfl-s1
Impact sound	19 dB
Underfloor heating	Max. 27 °C
Box	8 planks · 2.233 m² · 18.55 kg
Pallet	48 boxes · 107.18 m² · 929 kg
Warranty	25 yrs residential · 10 yrs light commercial

Made to your spec.

Besides our standard 5 mm, we produce to order in other thicknesses, widths and wear layers.

5 mm

4 mm core + 1 mm pad

181 × 1219 mm (7.13" × 48")

228.6 × 1219 mm (9" × 48")

Stone tile 304.8 × 914.4 mm

7 mm

5.5 mm core + 1.5 mm pad

181 × 1219 mm (7.13" × 48")

228.6 × 1219 mm (9" × 48")

228.6 × 1524 mm (9" × 60")

Wear layer

0.30 mm · 0.33 mm · 0.55 mm

Click system

Unilin or I4F

Standards

Tested to ASTM & ISO

Decors

100+ wood & stone designs

Bevel

Micro-bevel or painted bevel

Packing

Private label on request





F40209-3

Oak Denver

5 mm incl. IXPE pad | 228.6 × 1219.2 mm | Wear layer 0.55 mm | Class 23 / 33 | Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40274-8

Oak London

5 mm incl. IXPE pad

228.6 × 1219.2 mm

Wear layer 0.55 mm

Class 23 / 33

Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F30129-22

Oak Columbus

5 mm incl. IXPE pad | 228.6 × 1219.2 mm | Wear layer 0.55 mm | Class 23 / 33 | Waterproof

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified



F30129-22B

Oak Ural

5 mm incl. IXPE pad

228.6 × 1219.2 mm

Wear layer 0.55 mm

Class 23 / 33

Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40226-29

Oak Rome

5 mm incl. IXPE pad

228.6 × 1219.2 mm

Wear layer 0.55 mm

Class 23 / 33

Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40147-2

Oak Kansas City

5 mm incl. IXPE pad | 228.6 × 1219.2 mm | Wear layer 0.55 mm | Class 23 / 33 | Waterproof

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified



F40274-1

Oak Newark

5 mm incl. IXPE pad | 228.6 × 1219.2 mm | Wear layer 0.55 mm | Class 23 / 33 | Waterproof

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified



F3751-2

Oak Brooklyn

5 mm incl. IXPE pad

228.6 × 1219.2 mm

Wear layer 0.55 mm

Class 23 / 33

Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40209-5

Oak San Jose

5 mm incl. IXPE pad | 228.6 × 1219.2 mm | Wear layer 0.55 mm

Class 23 / 33 | Waterproof

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified



F40226-0

Oak Seattle

5 mm incl. IXPE pad | 228.6 × 1219.2 mm | Wear layer 0.55 mm | Class 23 / 33 | Waterproof

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified



F34165-7

Light Concrete

5 mm incl. IXPE pad

304.8 × 914.4 mm

Wear layer 0.55 mm

Class 23 / 33

Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F34165-3

Anthracite Concrete

5 mm incl. IXPE pad

304.8 × 914.4 mm

Wear layer 0.55 mm

Class 23 / 33

Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F34181-0

Dark Concrete

5 mm incl. IXPE pad

304.8 × 914.4 mm

Wear layer 0.55 mm

Class 23 / 33

Waterproof

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



PRODUCTION DECORS

More decors.

Beyond the core collection, these decors are produced to order in 5 or 7 mm, with the wear layer and click system of your choice.



F0006-04

Oak Omaha

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F1115-4

Oak Richmond

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F2112-4

Oak Kent

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F2405-2

Oak Rockford

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F2405-6

Oak Douglas

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F2405-7

Oak Naples

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F2692-20

Oak Bali

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F27118-2

Oak El Paso

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F27120-4

Oak Cairo

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F27122-3

Oak Clanton

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F27122-8

Oak Manitoba

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F300-18

Oak Indiana

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified



F300-20

Oak Newport

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F300-21

Oak Honolulu

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F30109-3B

Oak Elbrus

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F30116-2

Oak Longmont

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F30116-7

Oak Manila

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F30121-3

Oak Karachi

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F30128-24

Oak Ontario

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F30133-6

Oak Cincinnati

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F30138-5

Oak Alberta

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F30260-8B

Oak Pamir

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F30262-4B

Oak Ararat

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F3112-4

Oak Smyrna

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F3112-7

Oak Milford

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F34122-2

Oak Napa

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F34122-5

Oak Casablanca

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F3725-2

Oak Ohio

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F3725-8

Oak Jasper

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F3735-2

Oak Florence

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F3750-5

Oak Arizona

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F3752

Oak Nevada

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F3752-4

Oak Kilimanjaro

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F3768-7

Oak Dothan

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40043-2

Oak Venice

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40138-6

Oak Aspen

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40145-29

Oak Regina

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F4014529

Oak Arkansas

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40147-22

Oak Pittsburgh

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40147-26

Oak Louisville

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40147-7

Oak Boston

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40148-6

Oak Rio

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40150-9

Oak Nebraska

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40154-4

Oak Bangkok

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40156-2

Oak Hamburg

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40163-6

Oak Albany

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40164-2

Oak Tucson

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40164-4

Oak Philadelphia

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40164-5

Oak San Diego

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40164-7

Oak Jersey

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40164-8

Oak Jackson

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40164-9

Oak Phoenix

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40181-4

Oak Sacramento

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40209-00

Oak Chicago

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40209-22

Oak Mykonos

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order


EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified







F40211-5

Oak Perth

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40211-6

Oak Oregon

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40212-7

Oak Long Beach

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40213-6

Oak Hvar

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40213-7

Oak Florida

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40234-2

Oak Darwin

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40234-4

Oak Dallas

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40234-6

Oak Ibiza

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40251-4

Oak Zurich

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40251-8

Oak Vancouver

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40254-4

Oak Oshawa

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40256-9

Oak Montreal

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40259-4

Oak Dublin

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40259-5

Oak Riverside

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40259-6

Oak Irvine

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40260-3

Oak Fontana

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40261-2

Oak Oakland

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40261-5

Oak Colorado

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40278B-25

Oak Halifax

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40278B-30

Oak Ottawa

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40278B-6

Oak Hamilton

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40278B-9

Oak Quebec

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40278F-25

Oak Tokyo

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified

FloorLaBs
One Step Ahead

SPC · PRODUCTION DECOR



F40278F-30

Oak Seoul

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40278F-6

Oak Kyoto

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40278F-9

Oak Osaka

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40298-4

Oak Jakarta

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F430-15

Oak San Antonio

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F430-20

Oak Charlotte

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F444-16

Oak Mesa

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F451-17

Oak Austin

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F451-18

Oak Newton

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F452-3

Oak Detroit

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F456-12

Oak Santiago

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F456-18

Oak Madison

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F524-13

Oak Washington

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F548-19

Oak Summit

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F548-6

Oak Cape Town

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F7173-8

Oak Orlando

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F7190-4

Oak Buffalo

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F7262-4

Oak Atlanta

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F831-02

Oak Paros

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F8348

Oak Melton

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified

FloorLaBs
One Step Ahead

SPC · PRODUCTION DECOR



F8376-8

Walnut Portland

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F8421-25

Oak Athens

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F8421-3

Oak Liverpool

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F8433-56

Oak Nashville

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F8435-2

Oak Manchester

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F8436

Oak Dover

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F92261-4

Oak Ozark

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



IT2690-30

Londra

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified

F40203-2

V Light

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40203-5

V Grey

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40203-7

V Brown

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F40203-9

V Antrachite

5 or 7 mm

Plank 181 or 228.6 mm wide

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F34144-2

Grey Marble

5 or 7 mm | Tile 304.8 × 914.4 mm | WL 0.30–0.55 mm

Rigid Click | Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F34144-3

Black Marble

5 or 7 mm | Tile 304.8 × 914.4 mm | WL 0.30–0.55 mm | Rigid Click | Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified

FloorLaBs
One Step Ahead

SPC · PRODUCTION DECOR



F34151-4

Calacatta Marble

5 or 7 mm | Tile 304.8 × 914.4 mm | WL 0.30–0.55 mm

Rigid Click | Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F34158-9

Marble Calatorao

5 or 7 mm | Tile 304.8 × 914.4 mm | WL 0.30–0.55 mm

Rigid Click | Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F34165-4

Grey Concrete

5 or 7 mm

Tile 304.8 × 914.4 mm

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F34165-6

Light Concrete

5 or 7 mm | Tile 304.8 × 914.4 mm | WL 0.30–0.55 mm | Rigid Click | Made to order

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified

FloorLaBs
One Step Ahead



F34200-2

Carrara Marble

5 or 7 mm

Tile 304.8 × 914.4 mm

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified



F34248-4

Travertine Grey

5 or 7 mm

Tile 304.8 × 914.4 mm

WL 0.30–0.55 mm


Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F34248-7

Travertine Comfort

5 or 7 mm | Tile 304.8 × 914.4 mm | WL 0.30–0.55 mm | Rigid Click | Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F34249-3

Marble Lincoln

5 or 7 mm | Tile 304.8 × 914.4 mm | WL 0.30–0.55 mm | Rigid Click | Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified



F34250-2

Marble Picasso

5 or 7 mm | Tile 304.8 × 914.4 mm | WL 0.30–0.55 mm | Rigid Click | Made to order

EPD Environmental Product Declaration

M1 Emission class for indoor air

CLEAN AIR GOLD Intertek certified

F34251-2

Marble Edera

5 or 7 mm

Tile 304.8 × 914.4 mm

WL 0.30–0.55 mm

Rigid Click

Made to order

EPD — Environmental Product Declaration

M1 — Emission class for indoor air

CLEAN AIR GOLD — Intertek certified

DELIVERY

Shipped the way you need it.

Full trucks and containers straight from production. Mixed loads of flooring and accessories in one shipment are welcome.





- Export packing
- Mixed loads
- Private label on request
- Samples & price lists on request



CONTACT

Let’s talk flooring.

We work with importers, distributors, retailers and contractors worldwide. Ask us for samples, price lists and technical data sheets.

floorlabs.nl · floorlabs.co